

ABI Status Query  
Response Manual  
1.0.0

---

## Section: 1.1

|                 |                             |
|-----------------|-----------------------------|
| Name:           | data                        |
| Full Path:      | abiStatusQueryResponse.data |
| Type:           | String Value                |
| Is Required?:   | No                          |
| Minimum Length: |                             |
| Maximum Length: |                             |

### Sample JSON:

```
"data": "ABI_STATUS_QUERY_RESPONSE"
```

### Description:

---

## Section: 1.2

|                 |                                  |
|-----------------|----------------------------------|
| Name:           | timestamp                        |
| Full Path:      | abiStatusQueryResponse.timestamp |
| Type:           | String Value                     |
| Is Required?:   | No                               |
| Minimum Length: |                                  |
| Maximum Length: |                                  |

### Sample JSON:

```
"timestamp": "2023-01-01 13:50:00"
```

### Description:

---

## Section: 1.3

|               |                                       |
|---------------|---------------------------------------|
| Name:         | boLevelDetails                        |
| Full Path:    | abiStatusQueryResponse.boLevelDetails |
| Type:         | Array<JsonObject>                     |
| Is Required?: | No                                    |

### Sample JSON:

```
[{}]
```

### Description:

---

## Section: 1.3.1

|               |   |
|---------------|---|
| Name:         | bolLevelDetail  |
| Full Path:    | abiStatusQueryResponse.bolLevelDetails.bolLevelDetail |
| Type:         | Object  |
| Is Required?: | No  |

### Sample JSON:

```
{
```

### Description:

---

## Section: 1.3.1.1

|                 |  |
|-----------------|--|
| Name:           | status   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.status |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"status": "AR"
```

### Description:

---

## Section: 1.3.1.2

|                 |   |
|-----------------|---|
| Name:           | inBondArrivalDate   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.inBondArrivalDate |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"inBondArrivalDate": "2023-01-02 13:50:00"
```

### Description:

---

### Section: 1.3.1.3

|                 |  |
|-----------------|--|
| Name:           | inBondExportDate   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.inBondExportDate |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

#### Sample JSON:

```
"inBondExportDate": "2023-01-02 13:50:00"
```

#### Description:



---

## Section: 1.3.1.4

|                 |  |
|-----------------|--|
| Name:           | type   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.type |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"type": "61"
```

### Description:

---

## Section: 1.3.1.5

|               |   |
|---------------|---|
| Name:         | isUpdated   |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.isUpdated |
| Type:         | Boolean Value   |
| Is Required?: | Yes   |

### Sample JSON:

```
"isUpdated": false
```

### Description:

---

## Section: 1.3.1.6

|                 |   |
|-----------------|---|
| Name:           | quotedBolLevelEntryNumber   |
| Full Path:      | abiStatusQueryResponse.bolLevelDetails.bolLevelDetail.quotedBolLevelEntryNumber |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"quotedBolLevelEntryNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.7

|                 |  |
|-----------------|--|
| Name:           | masterBillNumber   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.masterBillNumber |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"masterBillNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.8

|                 |   |
|-----------------|---|
| Name:           | houseBillNumber   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.houseBillNumber |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"houseBillNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.9

|                 |  |
|-----------------|--|
| Name:           | subHouseBillNumber   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.subHouseBillNumber |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"subHouseBillNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.10

|                 |  |
|-----------------|--|
| Name:           | billOfLadingType   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.billOfLadingType |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"billOfLadingType": "F"
```

### Description:

---

## Section: 1.3.1.11

|               |  |
|---------------|--|
| Name:         | importerSecurityFilingOnFile   |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.importerSecurityFilingOnFile |
| Type:         | Boolean Value  |
| Is Required?: | No   |

### Sample JSON:

```
"importerSecurityFilingOnFile": false
```

### Description:



---

### Section: 1.3.1.13

|                 |   |
|-----------------|---|
| Name:           | modeOfTransport   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.modeOfTransport |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

#### Sample JSON:

```
"modeOfTransport": "A"
```

#### Description:

---

## Section: 1.3.1.14

|               |  |
|---------------|--|
| Name:         | quantity   |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.quantity |
| Type:         | Numeric Value  |
| Is Required?: | Yes  |

### Sample JSON:

```
"quantity": 10
```

### Description:

---

## Section: 1.3.1.15

|                 |   |
|-----------------|---|
| Name:           | unitOfMeasure   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.unitOfMeasure |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"unitOfMeasure": "BI"
```

### Description:

## Section: 1.3.1.16

|               |  |
|---------------|--|
| Name:         | dispositionActions   |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.dispositionActions |
| Type:         | Array<JsonObject>  |
| Is Required?: | No   |

## Sample JSON:

```
[
  {
    "dispositionActionDate": "2023-01-02 13:50:00",
    "dispositionActionCode": "1C",
    "narrativeMessage": "Entered and released general examination.",
    "releaseDate": "2023-01-02 13:50:00",
    "releaseOrigin": "99",
    "quantity": 42
  }
]
```

## Description:

---

## Section: 1.3.1.16.1

|               |  |
|---------------|--|
| Name:         | dispositionAction  |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.dispositionActions.dispo<br>sitionAction |
| Type:         | Object   |
| Is Required?: | No   |

### Sample JSON:

```
{  
  "dispositionActionDate": "2023-01-02 13:50:00",  
  "dispositionActionCode": "1C",  
  "narrativeMessage": "Entered and released general examination.",  
  "releaseDate": "2023-01-02 13:50:00",  
  "releaseOrigin": "99",  
  "quantity": 42  
}
```

### Description:

## Section: 1.3.1.17

|               |   |
|---------------|---|
| Name:         | airBolDetails   |
| Full Path:    | abiStatusQueryResponse.bolLevelDetails.bolLevelDetail.airBolDetails |
| Type:         | Object  |
| Is Required?: | No  |

## Sample JSON:

```
"airBolDetails": {
  "importingCarrierCode": "ABCD",
  "flightNumber": "123456789",
  "scheduledArrivalDate": "2023-01-02 13:50:00",
  "airWaybillNumber": "123456789",
  "masterAirWaybillPartIndicator": "U",
  "masterAirWaybillManifestQuantity": 4,
  "masterAirWaybillBoardedQuantity": 4,
  "houseAirWaybillNumber": "123456789",
  "houseAirWaybillPartIndicator": "U",
  "houseAirWaybillManifestQuantity": 4,
  "houseAirWaybillBoardedQuantity": 4,
  "dispositionActions": [
    {
      "dispositionActionDate": "2023-01-02 13:50:00",
      "dispositionCode": "1A",
      "narrativeMessage": "Entered and released general examination.",
      "inBondOrEntryNumber": "123456789"
    }
  ]
}
```

## Description:

---

## Section: 1.3.1.17.1

|                 |  |
|-----------------|--|
| Name:           | importingCarrierCode   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.importingCarrierCode |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"importingCarrierCode": "ABCD"
```

### Description:

---

## Section: 1.3.1.17.2

|                 |   |
|-----------------|---|
| Name:           | flightNumber  |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIdDetails.flightNumber |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"flightNumber": "123456789"
```

### Description:



---

### Section: 1.3.1.17.3

|                 |  |
|-----------------|--|
| Name:           | scheduledArrivalDate   |
| Full Path:      | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.airBoiDetails.scheduledArrivalDate |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

#### Sample JSON:

```
"scheduledArrivalDate": "2023-01-02 13:50:00"
```

#### Description:

---

## Section: 1.3.1.17.4

|                 |  |
|-----------------|--|
| Name:           | airWaybillNumber   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.airWaybillNumber |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"airWaybillNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.17.5

|                 |   |
|-----------------|---|
| Name:           | masterAirWaybillPartIndicator   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoiDetails.masterAirWaybillPartIndicator |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"masterAirWaybillPartIndicator": "U"
```

### Description:

---

## Section: 1.3.1.17.6

|               |  |
|---------------|--|
| Name:         | masterAirWaybillManifestQuantity   |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.masterAirWaybillManifestQuantity |
| Type:         | Numeric Value  |
| Is Required?: | No   |

### Sample JSON:

```
"masterAirWaybillManifestQuantity": 4
```

### Description:

---

## Section: 1.3.1.17.7

|               |   |
|---------------|---|
| Name:         | masterAirWaybillBoardedQuantity   |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoiDetails.masterAirWaybillBoardedQuantity |
| Type:         | Numeric Value   |
| Is Required?: | No  |

### Sample JSON:

```
"masterAirWaybillBoardedQuantity": 4
```

### Description:

---

## Section: 1.3.1.17.8

|                 |   |
|-----------------|---|
| Name:           | houseAirWaybillNumber   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.houseAirWaybillNumber |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"houseAirWaybillNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.17.9

|                 |  |
|-----------------|--|
| Name:           | houseAirWaybillPartIndicator   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.houseAirWaybillPartIndicator |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"houseAirWaybillPartIndicator": "U"
```

### Description:

---

## Section: 1.3.1.17.10

|               |   |
|---------------|---|
| Name:         | houseAirWaybillManifestQuantity   |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.houseAirWaybillManifestQuantity |
| Type:         | Numeric Value   |
| Is Required?: | No  |

### Sample JSON:

```
"houseAirWaybillManifestQuantity": 4
```

### Description:



---

## Section: 1.3.1.17.11

|               |  |
|---------------|--|
| Name:         | houseAirWaybillBoardedQuantity   |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoIDetails.houseAirWaybillBoardedQuantity |
| Type:         | Numeric Value  |
| Is Required?: | No   |

### Sample JSON:

```
"houseAirWaybillBoardedQuantity": 4
```

### Description:

---

## Section: 1.3.1.17.12

|               |  |
|---------------|--|
| Name:         | dispositionActions   |
| Full Path:    | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.airBoiDetails.dispositionActions |
| Type:         | Array<JsonObject>  |
| Is Required?: | No   |

### Sample JSON:

```
[
  {
    "dispositionActionDate": "2023-01-02 13:50:00",
    "dispositionCode": "1A",
    "narrativeMessage": "Entered and released general examination.",
    "inBondOrEntryNumber": "123456789"
  }
]
```

### Description:

---

## Section: 1.3.1.17.12.1

|               |  |
|---------------|--|
| Name:         | dispositionAction  |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.airBoLevelDetails.dispositionActions.dispositionAction |
| Type:         | Object   |
| Is Required?: | No   |

### Sample JSON:

```
{
  "dispositionActionDate": "2023-01-02 13:50:00",
  "dispositionCode": "1A",
  "narrativeMessage": "Entered and released general examination.",
  "inBondOrEntryNumber": "123456789"
}
```

### Description:

---

## Section: 1.3.1.18

|               |   |
|---------------|---|
| Name:         | masterBillAmendedQuantity   |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.masterBillAmendedQuantity |
| Type:         | Numeric Value   |
| Is Required?: | Yes   |

### Sample JSON:

```
"masterBillAmendedQuantity": 5
```

### Description:

---

## Section: 1.3.1.19

|               |  |
|---------------|--|
| Name:         | houseBillAmendedQuantity   |
| Full Path:    | abiStatusQueryResponse.boLevelDetails.boLevelDetail.houseBillAmendedQuantity |
| Type:         | Numeric Value  |
| Is Required?: | Yes  |

### Sample JSON:

```
"houseBillAmendedQuantity": 10
```

### Description:

---

## Section: 1.3.1.20

|                 |  |
|-----------------|--|
| Name:           | quotedPortLevelEntryNumber   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.quotedPortLevelEntryNumber |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"quotedPortLevelEntryNumber": "123456789"
```

### Description:

---

## Section: 1.3.1.21

|                 |  |
|-----------------|--|
| Name:           | manifestPortOfUnladingOrImport   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.manifestPortOfUnladingOrImport |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"manifestPortOfUnladingOrImport": "3801"
```

### Description:

---

## Section: 1.3.1.22

|                 |  |
|-----------------|--|
| Name:           | actualPortOfUnladingOrImport   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualPortOfUnladingOrImport |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"actualPortOfUnladingOrImport": "3801"
```

### Description:



---

## Section: 1.3.1.23

Name: actualPortOfUnladingOrImportOceanDiversion  
Full Path: abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualPortOfUnladingOrImportOceanDiversion  
Type: String Value  
Is Required?: No  
Minimum Length:  
Maximum Length:

### Sample JSON:

```
"actualPortOfUnladingOrImportOceanDiversion": "3801"
```

### Description:

---

## Section: 1.3.1.24

|                 |   |
|-----------------|---|
| Name:           | inBondOriginatingPort   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.inBondOriginatingPort |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"inBondOriginatingPort": "3801"
```

### Description:

---

## Section: 1.3.1.25

|                 |   |
|-----------------|---|
| Name:           | manifestDestinationPort   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.manifestDestinationPort |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"manifestDestinationPort": "3801"
```

### Description:

---

## Section: 1.3.1.26

|                 |   |
|-----------------|---|
| Name:           | actualDestinationPortManualDiversio   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualDestinationPortMa<br>nualDiversio |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"actualDestinationPortManualDiversio": "3801"
```

### Description:

---

## Section: 1.3.1.27

|                 |   |
|-----------------|---|
| Name:           | actualDestinationPortEdiDiversion   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.actualDestinationPortEdiDiversion |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"actualDestinationPortEdiDiversion": "3801"
```

### Description:

---

## Section: 1.3.1.28

|                 |   |
|-----------------|---|
| Name:           | vesselDeparturePort   |
| Full Path:      | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.vesselDeparturePort |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"vesselDeparturePort": "3801"
```

### Description:

---

## Section: 1.3.1.29

|                 |   |
|-----------------|---|
| Name:           | vesselDepartureDate   |
| Full Path:      | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.vesselDepartureDate |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"vesselDepartureDate": "2023-01-02 13:50:00"
```

### Description:

---

## Section: 1.3.1.30

|                 |   |
|-----------------|---|
| Name:           | containerLoadPort   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.containerLoadPort |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"containerLoadPort": "3801"
```

### Description:



---

### Section: 1.3.1.31

|                 |   |
|-----------------|---|
| Name:           | containerLoadDate   |
| Full Path:      | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.containerLoadDate |
| Type:           | String Value  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

#### Sample JSON:

```
"containerLoadDate": "2023-01-02 13:50:00"
```

#### Description:

---

## Section: 1.3.1.32

|                 |  |
|-----------------|--|
| Name:           | subsequentInBondNumber   |
| Full Path:      | abiStatusQueryResponse.boLevelDetails.boLevelDetail.subsequentInBondNumber |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"subsequentInBondNumber": "123456789"
```

### Description:

---

### Section: 1.3.1.33

|                 |  |
|-----------------|--|
| Name:           | previousInBondNumber   |
| Full Path:      | abiStatusQueryResponse.boiLevelDetails.boiLevelDetail.previousInBondNumber |
| Type:           | String Value   |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

#### Sample JSON:

```
"previousInBondNumber": "123456789"
```

#### Description:

---

**Section: 1.4**

|               |                              |
|---------------|------------------------------|
| Name:         | error                        |
| Full Path:    | abiStatusQueryResponse.error |
| Type:         | Object                       |
| Is Required?: | No                           |

**Sample JSON:**

```
"error": {  
  "code": "123",  
  "message": "INBOND NBR NOT ON FILE"  
}
```

**Description:**

---

## Section: 1.4.1

|                 |                                   |
|-----------------|-----------------------------------|
| Name:           | code                              |
| Full Path:      | abiStatusQueryResponse.error.code |
| Type:           | String Value                      |
| Is Required?:   | No                                |
| Minimum Length: |                                   |
| Maximum Length: |                                   |

### Sample JSON:

```
"code": "123"
```

### Description:

---

## Section: 1.4.2

|                 |                                      |
|-----------------|--------------------------------------|
| Name:           | message                              |
| Full Path:      | abiStatusQueryResponse.error.message |
| Type:           | String Value                         |
| Is Required?:   | No                                   |
| Minimum Length: |                                      |
| Maximum Length: |                                      |

### Sample JSON:

```
"message": "INBOND NBR NOT ON FILE"
```

### Description:

---

## Section: 1.5

|                 |                                    |
|-----------------|------------------------------------|
| Name:           | carrierScac                        |
| Full Path:      | abiStatusQueryResponse.carrierScac |
| Type:           | String Value                       |
| Is Required?:   | No                                 |
| Minimum Length: |                                    |
| Maximum Length: |                                    |

### Sample JSON:

```
"carrierScac": "ABCD"
```

### Description:

---

## Section: 1.6

Name: importingVesselOrConveyanceName  
Full Path: abiStatusQueryResponse.importingVesselOrConveyanceName  
Type: String Value  
Is Required?: No  
Minimum Length:  
Maximum Length:

### Sample JSON:

```
"importingVesselOrConveyanceName": "123"
```

### Description:



---

## Section: 1.7

|                 |   |
|-----------------|---|
| Name:           | voyageFlightOrTripNumber                        |
| Full Path:      | abiStatusQueryResponse.voyageFlightOrTripNumber |
| Type:           | String Value                                    |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"voyageFlightOrTripNumber": "12345"
```

### Description:

---

## Section: 1.8

|                 |   |
|-----------------|---|
| Name:           | estimatedDateOfArrival                        |
| Full Path:      | abiStatusQueryResponse.estimatedDateOfArrival |
| Type:           | String Value                                  |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"estimatedDateOfArrival": "2023-01-01 13:50:00"
```

### Description:

---

**Section: 1.9**

|                 |                                       |
|-----------------|---------------------------------------|
| Name:           | abiQueryStatus                        |
| Full Path:      | abiStatusQueryResponse.abiQueryStatus |
| Type:           | String Value                          |
| Is Required?:   | No                                    |
| Minimum Length: |                                       |
| Maximum Length: |                                       |

**Sample JSON:**

```
"abiQueryStatus": "AR"
```

**Description:**

---

## Section: 1.10

Name: inBondArrivalDate  
Full Path: abiStatusQueryResponse.inBondArrivalDate  
Type: String Value  
Is Required?: No  
Minimum Length:  
Maximum Length:

### Sample JSON:

```
"inBondArrivalDate": "2023-01-02 13:50:00"
```

### Description:

---

## Section: 1.11

|                 |   |
|-----------------|---|
| Name:           | inBondExportDate                        |
| Full Path:      | abiStatusQueryResponse.inBondExportDate |
| Type:           | String Value                            |
| Is Required?:   | No                                      |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"inBondExportDate": "2023-01-02 13:50:00"
```

### Description:

---

## Section: 1.12

|               |                                   |
|---------------|-----------------------------------|
| Name:         | inBondType                        |
| Full Path:    | abiStatusQueryResponse.inBondType |
| Type:         | Object                            |
| Is Required?: | No                                |

### Sample JSON:

```
"inBondType": {  
  "code": "61",  
  "longDescription": "Immediate Transportation"  
}
```

### Description:

---

## Section: 1.12.1

|                 |  |
|-----------------|--|
| Name:           | code                                   |
| Full Path:      | abiStatusQueryResponse.inBondType.code |
| Type:           | String Value                           |
| Is Required?:   | No                                     |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"code": "61"
```

### Description:

---

## Section: 1.12.2

|                 |   |
|-----------------|---|
| Name:           | longDescription                                   |
| Full Path:      | abiStatusQueryResponse.inBondType.longDescription |
| Type:           | String Value                                      |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"longDescription": "Immediate Transportation"
```

### Description:



---

## Section: 1.13

|               |                                  |
|---------------|----------------------------------|
| Name:         | isUpdated                        |
| Full Path:    | abiStatusQueryResponse.isUpdated |
| Type:         | Boolean Value                    |
| Is Required?: | No                               |

### Sample JSON:

```
"isUpdated": true
```

### Description:

---

## Section: 1.14

|                 |   |
|-----------------|---|
| Name:           | quotedBondLevelEntryNumber                        |
| Full Path:      | abiStatusQueryResponse.quotedBondLevelEntryNumber |
| Type:           | String Value                                      |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"quotedBondLevelEntryNumber": "123456789"
```

### Description:

---

## Section: 1.15

|               |   |
|---------------|---|
| Name:         | manifestPortOfUnladingOrImport                        |
| Full Path:    | abiStatusQueryResponse.manifestPortOfUnladingOrImport |
| Type:         | Object  |
| Is Required?: | No  |

### Sample JSON:

```
"manifestPortOfUnladingOrImport": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.15.1

|                 |  |
|-----------------|--|
| Name:           | code   |
| Full Path:      | abiStatusQueryResponse.manifestPortOfUnladingOrImport.code |
| Type:           | String Value   |
| Is Required?:   | Yes  |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.15.2

|                 |   |
|-----------------|---|
| Name:           | portOfEntry   |
| Full Path:      | abiStatusQueryResponse.manifestPortOfUnladingOrImport.portOfEntry |
| Type:           | String Value  |
| Is Required?:   | Yes   |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.16

|               |   |
|---------------|---|
| Name:         | actualPortOfUnladingOrImport                        |
| Full Path:    | abiStatusQueryResponse.actualPortOfUnladingOrImport |
| Type:         | Object  |
| Is Required?: | No  |

### Sample JSON:

```
"actualPortOfUnladingOrImport": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.16.1

|                 |  |
|-----------------|--|
| Name:           | code   |
| Full Path:      | abiStatusQueryResponse.actualPortOfUnladingOrImport.code |
| Type:           | String Value   |
| Is Required?:   | Yes  |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.16.2

|                 |   |
|-----------------|---|
| Name:           | portOfEntry   |
| Full Path:      | abiStatusQueryResponse.actualPortOfUnladingOrImport.portOfEntry |
| Type:           | String Value  |
| Is Required?:   | Yes   |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:



---

## Section: 1.17

|               |   |
|---------------|---|
| Name:         | actualPortOfUnladingOrImportOceanDiversion                        |
| Full Path:    | abiStatusQueryResponse.actualPortOfUnladingOrImportOceanDiversion |
| Type:         | Object  |
| Is Required?: | No  |

### Sample JSON:

```
"actualPortOfUnladingOrImportOceanDiversion": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.17.1

|                 |  |
|-----------------|--|
| Name:           | code   |
| Full Path:      | abiStatusQueryResponse.actualPortOfUnladingOrImportOceanDiversion.code |
| Type:           | String Value   |
| Is Required?:   | Yes  |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.17.2

|                 |   |
|-----------------|---|
| Name:           | portOfEntry   |
| Full Path:      | abiStatusQueryResponse.actualPortOfUnladingOrImportOceanDiversion.portOfEntry |
| Type:           | String Value  |
| Is Required?:   | Yes   |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.18

|               |  |
|---------------|--|
| Name:         | inBondOriginatingPort                        |
| Full Path:    | abiStatusQueryResponse.inBondOriginatingPort |
| Type:         | Object                                       |
| Is Required?: | No   |

### Sample JSON:

```
"inBondOriginatingPort": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.18.1

|                 |   |
|-----------------|---|
| Name:           | code  |
| Full Path:      | abiStatusQueryResponse.inBondOriginatingPort.code |
| Type:           | String Value                                      |
| Is Required?:   | Yes   |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.18.2

|                 |  |
|-----------------|--|
| Name:           | portOfEntry  |
| Full Path:      | abiStatusQueryResponse.inBondOriginatingPort.portOfEntry |
| Type:           | String Value   |
| Is Required?:   | Yes  |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.19

|               |  |
|---------------|--|
| Name:         | manifestDestinationPort                        |
| Full Path:    | abiStatusQueryResponse.manifestDestinationPort |
| Type:         | Object   |
| Is Required?: | No   |

### Sample JSON:

```
"manifestDestinationPort": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.19.1

|                 |   |
|-----------------|---|
| Name:           | code  |
| Full Path:      | abiStatusQueryResponse.manifestDestinationPort.code |
| Type:           | String Value  |
| Is Required?:   | Yes   |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"code": "3801"
```

### Description:



---

## Section: 1.19.2

|                 |  |
|-----------------|--|
| Name:           | portOfEntry  |
| Full Path:      | abiStatusQueryResponse.manifestDestinationPort.portOfEntry |
| Type:           | String Value   |
| Is Required?:   | Yes  |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.20

|               |  |
|---------------|--|
| Name:         | actualDestinationPortManualDiversio                        |
| Full Path:    | abiStatusQueryResponse.actualDestinationPortManualDiversio |
| Type:         | Object   |
| Is Required?: | No   |

### Sample JSON:

```
"actualDestinationPortManualDiversio": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.20.1

|                 |  |
|-----------------|--|
| Name:           | code   |
| Full Path:      | abiStatusQueryResponse.actualDestinationPortManualDiversion.code |
| Type:           | String Value   |
| Is Required?:   | Yes  |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.20.2

|                 |   |
|-----------------|---|
| Name:           | portOfEntry   |
| Full Path:      | abiStatusQueryResponse.actualDestinationPortManualDiversion.portOfEntry |
| Type:           | String Value  |
| Is Required?:   | Yes   |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.21

|               |  |
|---------------|--|
| Name:         | actualDestinationPortEdiDiversion                        |
| Full Path:    | abiStatusQueryResponse.actualDestinationPortEdiDiversion |
| Type:         | Object   |
| Is Required?: | No   |

### Sample JSON:

```
"actualDestinationPortEdiDiversion": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:

---

## Section: 1.21.1

|                 |   |
|-----------------|---|
| Name:           | code  |
| Full Path:      | abiStatusQueryResponse.actualDestinationPortEdiDiversion.code |
| Type:           | String Value  |
| Is Required?:   | Yes   |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.21.2

|                 |   |
|-----------------|---|
| Name:           | portOfEntry   |
| Full Path:      | abiStatusQueryResponse.actualDestinationPortEdiDiversio |
| Type:           | String Value  |
| Is Required?:   | Yes   |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.22

|               |  |
|---------------|--|
| Name:         | vesselDeparturePort                        |
| Full Path:    | abiStatusQueryResponse.vesselDeparturePort |
| Type:         | Object                                     |
| Is Required?: | No   |

### Sample JSON:

```
"vesselDeparturePort": {  
  "code": "3801",  
  "portOfEntry": "Detroit, MI"  
}
```

### Description:



---

## Section: 1.22.1

|                 |   |
|-----------------|---|
| Name:           | code  |
| Full Path:      | abiStatusQueryResponse.vesselDeparturePort.code |
| Type:           | String Value                                    |
| Is Required?:   | Yes   |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"code": "3801"
```

### Description:

---

## Section: 1.22.2

|                 |  |
|-----------------|--|
| Name:           | portOfEntry  |
| Full Path:      | abiStatusQueryResponse.vesselDeparturePort.portOfEntry |
| Type:           | String Value   |
| Is Required?:   | Yes  |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"portOfEntry": "Detroit, MI"
```

### Description:

---

## Section: 1.23

|                 |  |
|-----------------|--|
| Name:           | vesselDepartureDate                        |
| Full Path:      | abiStatusQueryResponse.vesselDepartureDate |
| Type:           | String Value                               |
| Is Required?:   | No   |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"vesselDepartureDate": "2023-01-02 13:50:00"
```

### Description:

---

## Section: 1.24

|                 |  |
|-----------------|--|
| Name:           | containerLoadPort                        |
| Full Path:      | abiStatusQueryResponse.containerLoadPort |
| Type:           | String Value                             |
| Is Required?:   | No                                       |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"containerLoadPort": "3801"
```

### Description:

---

## Section: 1.25

|                 |  |
|-----------------|--|
| Name:           | containerLoadDate                        |
| Full Path:      | abiStatusQueryResponse.containerLoadDate |
| Type:           | String Value                             |
| Is Required?:   | No                                       |
| Minimum Length: |  |
| Maximum Length: |  |

### Sample JSON:

```
"containerLoadDate": "2023-01-02 13:50:00"
```

### Description:

---

## Section: 1.26

|                 |   |
|-----------------|---|
| Name:           | motTruckTripNumber                        |
| Full Path:      | abiStatusQueryResponse.motTruckTripNumber |
| Type:           | String Value                              |
| Is Required?:   | No  |
| Minimum Length: |   |
| Maximum Length: |   |

### Sample JSON:

```
"motTruckTripNumber": "55555"
```

### Description:

---

## Section: 1.27

|                 |                                  |
|-----------------|----------------------------------|
| Name:           | firmsCode                        |
| Full Path:      | abiStatusQueryResponse.firmsCode |
| Type:           | String Value                     |
| Is Required?:   | No                               |
| Minimum Length: |                                  |
| Maximum Length: |                                  |

### Sample JSON:

```
"firmsCode": "5555"
```

### Description: